

vscode

Subtitle

2022/09/27



Table of Contents

vscode 1

 终端改为msys2的mingw64 1

 使用msys2的git 1

vscode

终端改为msys2的mingw64

注意路径不能有空格和.，一开始安装路径为 D:\MinGW\msys\2.0\usr\bin，会报错 exit code 2，表示找不到文件¹⁾

配置²⁾：

snippet.json

```
"terminal.integrated.shell.windows": "D:\\msys64\\msys2_shell.cmd",  
"terminal.integrated.shellArgs.windows": ["-defterm", "-mingw64", "-no-start", "-here"],
```

上面配置换一个msys2版本可能就不能用了，可以试试下面的配置

snippet.json

```
{  
  "terminal.integrated.shell.windows": "D:\\msys64\\usr\\bin\\bash.exe",  
  "terminal.integrated.shellArgs.windows": ["-l"],  
  "terminal.integrated.env.windows": {  
    "CHERE_INVOKING": "1",  
    "MSYSTEM": "MINGW64",  
  }  
}
```

使用msys2的git

直接使用 会提示 没有活动的源代码控制提供程序，参见³⁾

snippet.bat

```
@echo off  
setlocal  
  
rem If you don't add path for msys2 into %PATH%, enable following line.  
set PATH=d:\msys64\usr\bin;%PATH%  
  
if "%1" equ "rev-parse" goto rev_parse  
git %*  
goto :eof  
:rev_parse
```

```
for /f %%1 in ('git %*') do cygpath -w %%1
```

附：VS Code 完整设置

snippet.json

```
{
  "terminal.integrated.shell.windows": "D:\\msys64\\usr\\bin\\bash.exe",
  "terminal.integrated.shellArgs.windows": ["-l"],
  "terminal.integrated.env.windows": {
    "CHERE_INVOKING": "1",
    "MSYSTEM": "MINGW64",
  },
  "git.postCommitCommand": "push",
  "git.path": "D:\\msys64\\git-vscode.bat",
  "editor.insertSpaces": false,
  "editor.detectIndentation": false,
  "editor.wordWrap": "on",
  "editor.snippetSuggestions": "top",
  "editor.tabCompletion": "on",
  "pangu.auto_format_on_save": true,
  "go.formatTool": "gofmt",
  "go.useLanguageServer": true,
  "terminal.integrated.automationShell.windows": "",
}
```

1)

see <https://github.com/Microsoft/vscode/issues/60393>

2)

<https://stackoverflow.com/questions/45836650/how-do-i-integrate-msys2-shell-into-visual-studio-code-on-window>

3)

<https://github.com/Microsoft/vscode/issues/4651>

Printed on: 2022/09/27 01:01

Convert to img Failed!