

Wrap插件使用示例

Subtitle

2023/05/25



Table of Contents

Wrap插件使用示例 1

基本语法 1

 Marks 3

 Miscellaneous 3

 Combining and Nesting 5

Language and Text Direction 6

其他语言 7

Wrap插件使用示例

基本语法

用大写的 %%








**** (也可以用 ****

**** 或者 ****

****)来生成一个 `'''div'''` 区块 (即**

)。这个标签用于生成区块元素，比如段落，列表，表格等。 `<WRAP classes width :language>` 区块元素内容 `</WRAP>` or `<block classes width :language>` 区块元素内容 `</block>` or `<div classes width :language>` 区块元素内容 `</div>` 用小写的 `****` (也可以用 `****` 或者 `****`) 来生成行内元素，即 `'''span'''` 元素。这个标签用于生成行内元素，比如一行内的段落，列表，表格等等。 `<wrap classes width :language>` 行内元素内容 `</wrap>` or `<inline classes width :language>` 行内元素内容 `</inline>` or `` 行内元素内容 `` :! 请注意, 某些情况下**行内元素 spans**不会有效果: `***alignments**` (including alignments generated by changing the text direction) `***multi-columns**` * and `**widths**` if the according wrap isn't floated as well. ===== Classes and Styles ===== ===== Columns and Floats ===== You can have columns easily by adding the class "column" and a width, e.g. `<WRAP column 30%>...content...</WRAP>` `<WRAP column 30%> /** _Emulated Big Headline_ **//` You can emulate a big headline with italic, bold and underlined text, e.g. `<code>/** _Emulated Big Headline_ **//</code> /**Emulated Small Headline**//` A smaller headline uses no underlining, e.g. `<code>/**Emulated Small Headline**//</code>` If you need text that is bold and italic, simply use it the other way around: `<code>**//No Headline/**</code>` `</WRAP>` `<WRAP column 30%> /** _Different Floating Options_ **//` Normally you would only need the class "column", but for more sophisticated uses (not only for columns, but for any other classes, like `[[#boxes and notes]]` as well) you can have several kinds of "floats": `***"column"***` is the same as "left" in LTR languages and the same as "right" in RTL languages `***"left"***` will let you float your wrap on the left `***"right"***` will let the wrap float right `***"center"***` will position the wrap in the horizontal center of the page `</WRAP>` `<WRAP column 30%> /** _Widths_ **//` You can set any valid widths (but only on divs): "%, px, em, ex, pt, pc, cm, mm, in", but most of the time you'd only want either `^type^e.g.^note^ ^%"|"30%"|makes sense in a liquid layout| ^"px|"420px"|makes sense if your layout has a fixed pixel width or if your container contains images with a certain width| ^"em|"20em"|makes sense if you like your wrap container to grow and shrink with the font size or if your layout is em-based|` A `**table**` inside a column or box will always be `**100% wide**`. This makes positioning and sizing tables possible. `</WRAP>` `<wrap em>` After using any of the float classes, you might come across something like this, where the following text protrudes into the space where only the floating containers should be ...`</wrap>` `<WRAP clear></WRAP>` ... to prevent that, you should simply add `<WRAP clear></WRAP>` after your last column. You `**can**` use the same options with spans (as each element that floats is automatically a block level element), but it probably doesn't make too much sense. :! Widths on spans normally do not work (by design), but can make sense, when it is floating. :! Attention: Widths can cause problems and will often look different and break in some browsers. If you're not a web developer, you might not understand any problems regarding the `[[http://en.wikipedia.org/wiki/Internet_Explorer_box_model_bug|box model]]`. Just try to test your columns in all major browsers and make your widths smaller than you initially think

they should be. All of those options will also work in the [[#boxes and notes]] wraps (see below). === Multi-columns === <WRAP col3> For modern browsers (Firefox, Chrome and Safari) you can use multi-columns. Just use **col2** for 2 columns, **col3** for 3 columns, **col4** for 4 columns and **col5** for 5 columns. **!**: Note: Multi-columns don't make sense for spans. </WRAP> === Alignments === You can use these different text alignments: **leftalign** **rightalign** **centeralign** **justify** <WRAP centeralign> Center aligned text ... </WRAP> <WRAP rightalign> ... and right aligned. </WRAP> <code> <WRAP centeralign> Center aligned text ... </WRAP> <WRAP rightalign> ... and right aligned. </WRAP> </code> **!**: You cannot add alignments to spans. === Boxes and Notes === <WRAP round box 570px center> **!** **__**round box 570px center **__** **!** **"box"** creates a box around the container and uses the colours from the template's "style.ini" as default colours (**backgroundalt%% and %%text_%%**) * any of the classes **info**, **tip**, **important**, **alert**, **help**, **download**, **todo** will add a special note container with a corresponding icon * the classes **danger**, **warning**, **caution**, **notice**, **safety** use safety colours (and no icons) * **round** can be added to anything with a background colour or a border and will only work in modern browsers (no Internet Explorer) </WRAP>

 <p style="text-align: center;">Info</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP info></WRAP></div>	 <p style="text-align: center;">Tip</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP tip></WRAP></div>
 <p style="text-align: center;">Important</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP important></WRAP></div>	 <p style="text-align: center;">Alert</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP alert></WRAP></div>
 <p style="text-align: center;">Help</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP round help></WRAP></div>	 <p style="text-align: center;">Download</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP download></WRAP></div>
 <p style="text-align: center;">Todo</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP todo></WRAP></div>	

Safety Notes:

<p style="text-align: center;">Danger</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP danger></WRAP></div>	<p style="text-align: center;">Warning</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP warning></WRAP></div>	<p style="text-align: center;">Caution</p> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;"><WRAP caution></WRAP></div>
--	--	--



You can use notes and boxes also inside text with spans like this: info, help, alert, important, tip, download, todo and round box and danger, warning, caution, notice, safety. info, help, ...

Marks

You can mark text as highlighted, less significant and **especially emphasised**. You can mark text as highlighted, less significant and **especially emphasised**. ⚠ This might look ugly in some templates and should be adjusted accordingly.

Miscellaneous

Indent

This text will appear indented. This text will appear indented.

Outdent

This text will appear “outdented”. This text will appear “outdented”.

Prewrap

Inside this code block the words will wrap to a new line although they are all in one line.

```
<code>
Inside this code block the words will
wrap to a new line although they
are all in one line.
</code>
</WRAP>
```

Spoiler

Here follows a spoiler:

```
Here follows a spoiler: <wrap
spoiler>Darth Vader is Luke's
father.</wrap>
```


Just select the text in the

spoiler box to be able to read its content.

Hide

The following text is hidden:

```
The following text is hidden: <wrap  
hide>John, please revise that  
sentence.</wrap>
```

 Warning: The text will still appear in the source code, in non-modern browsers and is searchable. Do not hide any security risky secrets with it!

Pagebreak

The following will add a pagebreak:

The following will add a pagebreak:
`<WRAP pagebreak></WRAP>`

This has no effect on the browser screen. A [pagebreak](#) will force a new page in printouts.

Nopagebreak

The following will try to avoid a pagebreak:

much content, belonging together (like a long table)

The following will try to avoid a pagebreak: `<WRAP nopagebreak>`much content, belonging together (like a long table)`</WRAP>`

This also has no effect on the browser screen. It will try to [avoid a page break](#) in printouts.

Noprint

`<wrap noprint>`This text appears on the screen, but not in print.`</wrap>`

Onlyprint

This text does not appear on the screen, but only in print.

`<wrap onlyprint>`This text does not appear on the screen, but only in print.`</wrap>`

Combining and Nesting

You can combine and nest all classes and types of boxes, e.g.

Outer box floats right

Inner nested boxText inside outer right box,
floats left and is partially beneath inner left box.
partly

emphasized
and
highlighted
with a nested
notice inside.

Round tip box underneath, after
a clear.

```
<WRAP box 350px right :en>
/** __Outer box floats right__ **/

<WRAP 165px left>
Inner nested box floats left and is
partly <wrap em
hi> __em__phasized and
__hi__ghlighted with a nested
<wrap notice>__notice__</wrap>
inside</wrap>.
</WRAP>

Text inside outer right box, but
beneath inner left box.

<WRAP clear></WRAP>

<WRAP round tip>
Round tip box underneath, after a
"clear".
</WRAP>

</WRAP>
```

Language and Text Direction

You can change the language
and the reading direction of a
wrap container by simply

adding a colon followed by the language code, like this:

```
<WRAP :he>
זה עברית. ((<wrap :en>This means
"This is Hebrew.", at least according
to
[[http://translate.google.com/|Googl
e Translate]].</wrap>))
</WRAP>
```

זה עברית.¹⁾

The text direction (rtl, right to left or ltr, left to right) will get inserted automatically and is solely dependent on the language. The list of currently supported languages is taken from:
http://meta.wikimedia.org/wiki/Template:List_of_language_names_ordered_by_code (If you specify a language not listed there, it simply won't do anything.)

其他语言

其他语言	英文
------	--------------------

¹⁾ This means “This is Hebrew.”, at least according to [Google Translate](#).

Printed
on:
2023/05/25
06:57

Convert to img Failed!